



# 244 Bariatric Treatment Table

## Barrier-Free® Accessibility - Safe and Efficient Care for your Patient, you and your Staff




**850-pound Weight Capacity** - With an 850-pound patient weight capacity, the Ritter 244 Bariatric Power Treatment Table is ready, willing and able to safely lift your special needs patients everytime.

**18-inch Low Height** - With an incredible barrier-free 18-inch low height, the Ritter 244 provides a solution to the all too common question, "How are we going to safely and effectively get our special needs patients onto and off of the treatment table?"

By lowering the seat to 18 inches from the floor, the Ritter 244 performs this sometimes difficult task. It becomes a very simple routine, requiring minimal assistance from you and your staff. The patient's dignity is maintained and the likelihood of injury is greatly reduced, providing efficient, effective patient care.

**34-inch High Height** - The Ritter 244 raises the seat to a height of 34 inches, bringing the patient to you while helping to minimize the stress and strain on your back. By having the patient in the right position, the exam can be completed properly and efficiently.



**18" Low Height**  
**34" High Height**



# reatment Table

*The Ritter 244 features a 32-inch wide seat that offers unsurpassed patient comfort and support for your special needs patients. The seamless design of the upholstery looks great and offers an easy-to-clean surface. The thick foam padding with built-in pillow provides the comfort your patient deserves.*



*With an ergonomic and intuitive hand control, patient positioning is simple and efficient.*



*The optional adjustable arm system accessory offers a sense of security for patients and a stable, secure platform to assist them in getting onto and off of the table. With the simple touch of a lever, the arms can be rotated and locked into one of three positions so the arms are always in the right place.*

\*Product shown with optional adjustable arm system accessory.

## Ritter 244

# S P E C I F I C A T I O N S



**Fully Powered,  
Multi-Position Movement**  
In addition to fully powered height adjustment and powered back and tilt, angle adjustments allow for a thorough examination and safe positioning. Safety switches in the base section stop the table from moving if a slight amount of force is applied to the base cover.

### Ritter 244 Bariatric Power Treatment Table

*An optional foot control accessory provides a sterile field and an alternate method to the hand control for positioning patients.*



*The optional casters permits easy transportation of your table. The casters can support a 650 lb. stationary patient load but should not be used to move patients.*

#### Specifications

**Patient Load Rating:**  
850 lb. (385 kg)

**Height:**  
Minimum 18" (45.7 cm)  
Maximum 34" (86.4 cm)

**Back Support Angle:**  
Minimum = 0°  
Maximum = 65°

**Seat Tilt Angle:**  
Minimum = -15°  
Maximum = 15°

**Upholstery Dimensions:**  
Seat and Back Area:  
32" W (81.3 cm)

Head and Foot Area:  
30" W (76.2 cm)

Overall Length:  
80" (203.2 cm)

**Floor Clearance from Floor  
to Bottom of Base:**

Leveling Feet Installed:  
2.75" (7 cm)

Caster Accessory Installed:  
3.5" (8.9 cm)

**Paper Roll Holder Capacity:**  
18", 21" or 24"  
(45.7 cm, 53.3 cm or  
61.0 cm)

**Accessories**  
Adjustable arm system (right  
and left side arms included)

Casters

Foot control  
3' power cord

**Electrical**  
120 VAC, 2.5 Amps, 60 Hz

**Safety Standards**  
UL 60601-1 and CAN/CSA  
C22.2 No. 601.1 - M90



#### Colors

Available in eight Ritter upholstery colors: Navy, Dusty Blue, Moss, Clay, Pebble Grey, Shadow, Perfect Plum and Black.

**CARB 93120.2 Phase 1  
Compliant**

**Midmark is an ISO  
13485 and ISO 9001  
Certified Company.**

For more information or a demonstration, contact your Ritter or Midmark Dealer or contact Midmark Corporation, Versailles, Ohio. Call: 1-800-MIDMARK Fax: 1-800-365-8631 midmark.com

**Ritter**<sup>®</sup>  
by MIDMARK

© Midmark Corporation 2004  
Products subject to improvement changes without notice.  
Litho in U.S.A. 007-0537-00 Rev. D1 (7/10)